Technical
Specification
Sheet

JP32.1

Wall mounted hand-shower set with magnetic function. Designer: John Pawson

COCOON

Article number:
JP32.1

Wall mounted hand-shower set with magnetic function.

Technical Specification Sheet **JP32.1**

Dimensioned drawing



COCOON reserves the right to change designs, product range & technical specifications without prior notice. Further information can be found at www.bycocoon.com

Spare Parts List 1/2

Part no	Spare part code	Article No	Description	QTY
1.	JP32.1-001	JP32.1-001.000	Handshower	1
2.	JP32.1-002	JP32.1-002.000	Flexible hose	1
3.	JP32.1-003	JP32.1-003.000	Holder sleeve	1
4.	JP32.1-004	JP32.1-004.000	Magnet	1
5.	JP32.1-005	JP32.1-005.000	Shower holder	1
6.	JP32.1-006	JP32.1-006.000	Grub screw	2
7.	JP32.1-007	JP32.1-007.000	Self-tapping screw	2
8.	JP32.1-008	JP32.1-008.000	Rosette Ø66mm	1
9.	JP32.1-009	JP32.1-009.000	O ring Ø43 X 2	1
10.	JP32.1-010	JP32.1-010.000	O ring Ø58 X 2	1
11.	JP32.1-011	JP32.1-011.000	Fixing plate	1
12.	JP32.1-012	JP32.1-012.000	Screw with plastic plug	2
13	JP32.1-013	JP32.1-013.000	Wall elbow	1
14.	JP32.1-014	31411400001	Back-flow preventer	1
15.	JP32.1-015	70NBR103F	Seal Ø21.5 X 2	1
16.	JP32.1-016	JP32.1-016.000	Rosette Ø66mm	1
17.	JP32.1-017	70NBR103F	O ring Ø58 X 2	1

Spare Parts List 2/2



Wall mounted hand-shower set with magnetic function.

Technical Specification Sheet **JP32.1**

Installation Manual









Technical warning

Please read all installation instructions carefully.

All pipework must be thoroughly flushed prior to installation.

Please fix the USA NPT adapters on top of the pre-installed water connections.

Always first test the system with water pressure before closing the walls.

Optimal water pressure 3 BAR / temperature should not exceed 65°C/149°F

Manufacturer has pre-set the thermostatic valve at 38°C/100°F (see position on the drawing). Maximum temperature at 3BAR 49°C/120°F